

## TRIBRID FINISHED SINGLE VISION LENS (Diameter 65-70 mm)

MATERIAL REFRACTIVE PROPERTY		TRANSMISSION PROPERTY (UNCOAT LENS 2 MM)	
Refractive Index	1.596	Luminous (400-700nm)	90-95%
Abbe Value	41	UV-B (280-315nm)	0.00%
Density	1.23	UV-A (315-380nm)	0.00%

### Diameter 65 mm

POWER	FRONT NOMINAL CURVE	BACK NOMINAL CURVE	CT	POWER	FRONT NOMINAL CURVE	BACK NOMINAL CURVE	CT
0.25	4.50	4.25	1.80	3.25	6.50	3.25	3.80
0.50	4.75	4.25	2.00	3.50	6.75	3.25	4.00
0.75	5.00	4.25	2.10	3.75	7.00	3.25	4.30
1.00	5.25	4.25	2.20	4.00	7.25	3.25	4.50
1.25	5.00	3.75	2.30	4.25	6.75	2.50	4.70
1.50	5.25	3.75	2.50	4.50	7.00	2.50	5.00
1.75	5.50	3.75	2.60	4.75	7.25	2.50	5.20
2.00	5.75	3.75	2.70	5.00	7.50	2.50	5.50
2.25	5.50	3.25	2.90	5.25	7.75	2.50	5.70
2.50	5.75	3.25	3.10	5.50	8.00	2.50	5.90
2.75	6.00	3.25	3.30	5.75	8.25	2.50	6.10
3.00	6.25	3.25	3.50	6.00	8.50	2.50	6.30

## TRIBRID FINISHED SINGLE VISION LENS (Diameter 65-70 mm)

Diameter 70 mm

POWER	FRONT NOMINAL CURVE	BACK NOMINAL CURVE	CT	POWER	FRONT NOMINAL CURVE	BACK NOMINAL CURVE	CT
0.00	4.00	4.00	1.80	-5.25	1.75	7.00	1.10
-0.25	3.75	4.00	1.70	-5.50	1.50	7.00	1.10
-0.50	3.50	4.00	1.60	-5.75	1.25	7.00	1.10
-0.75	3.25	4.00	1.50	-6.00	1.00	7.00	1.10
-1.00	3.00	4.00	1.40	-6.25	1.75	8.00	1.10
-1.25	2.75	4.00	1.30	-6.50	1.50	8.00	1.10
-1.50	2.50	4.00	1.20	-6.75	1.25	8.00	1.10
-1.75	3.25	5.00	1.10	-7.00	1.00	8.00	1.10
-2.00	3.00	5.00	1.10	-7.25	0.75	8.00	1.10
-2.25	2.75	5.00	1.10	-7.50	0.50	8.00	1.10
-2.50	2.50	5.00	1.10	-7.75	0.25	8.00	1.10
-2.75	2.25	5.00	1.10	-8.00	0.00	8.00	1.10
-3.00	2.00	5.00	1.10	-8.25	0.00	8.25	1.10
-3.25	2.75	6.00	1.10	-8.50	0.00	8.50	1.10
-3.50	2.50	6.00	1.10	-8.75	0.00	8.75	1.10
-3.75	2.25	6.00	1.10	-9.00	0.00	9.00	1.10
-4.00	2.00	6.00	1.10	-9.25	0.00	9.25	1.10
-4.25	1.75	6.00	1.10	-9.50	0.00	9.50	1.10
-4.50	1.50	6.00	1.10	-9.75	0.00	9.75	1.10
-4.75	2.25	7.00	1.10	-10.00	0.00	10.00	1.10
-5.00	2.00	7.00	1.10				